

Marco Capogna, list of publications, impact factor = 33 Scopus

- total number of publications = 71
- number of peer reviewed publications = 66
- number of first and last authorships within the last five years = 18
- * denotes best papers

Bocchio M., Fisher S.P., Unal G., Ellender T.J., Vyazovskiy V.V., and Capogna M. (2016) Sleep and serotonin modulate paracapsular nitric oxide synthase expressing neurons of the amygdala, eNeuro, Journal of Neuroscience on line, Society for Neuroscience, in press, <http://eneuro.org/content/eneuro/early/2016/09/26/ENEURO.0177-16.2016.full.pdf>.

Bocchio M., McHugh S.B., Bannerman, D.M., Sharp T., and Capogna M. (2016) Serotonin, amygdala and fear: assembling the puzzle, Frontiers in Neural Circuits, Volume 10, Article 24, doi: 10.3389/fncir.2016.00024-

Bocchio M., Fuchsina G., Oikonomidis L., McHugh S.B., Bannerman D., Sharp T., and Capogna M. (2015) Increased 5-HT transporter expression reduces fear and recruitment of parvalbumin interneurons of the amygdala, Neuropsychopharmacology (Nature publishing group), 40: 3015-26. *

Bazelot M., Bocchio M., Kasugai Y., Fischer D., Ferraguti F., and Capogna M. (2015) Hippocampal theta input to the amygdala shapes feedforward inhibition to gate heterosynaptic plasticity, Neuron (Cell Press), 87: 1290-303. *

Blaesse P., Goedecke L., Bazelot M., Capogna M., Pape H.-C., and Jüngling K. (2015) μ-opioid receptor-mediated control of extinction-relevant circuits in the mouse amygdala: inhibition of intercalated neurons, Journal of Neuroscience, 35(19): 7317-7325.

Bienvenu T.C.M., Busti D., Micklem B.R., Mansouri M., Magill P.J., Ferraguti F. & Capogna M. (2015) Large intercalated neurons of amygdala relay noxious sensory information. Journal of Neuroscience, 35(5): 2044-2057. *

Bocchio M. & Capogna M. (2014) Oscillatory Substrates of Fear and Safety. Neuron, 83: 753-755.

Capogna M. (2014) GABAergic cell type diversity in the basolateral amygdala. Current Opinion in Neurobiology, 26:110–116.

Li G., Stewart R., Canepari M., & Capogna M. (2014) Firing of hippocampal neurogliaform cells induces suppression of synaptic inhibition. J. Neurosci. 34:1280-1292. Commentary in J Neuroscience 34 (4)j-i.

Capogna M. (2013) Which molecules regulate synaptic brain asymmetries? J. Physiol. 591, 4687-4688.

Ellender T.J., Harwood J., Kosillo P., Capogna M. & Bolam J.P. (2013) Heterogeneous properties of central lateral and parafascicular thalamic synapses in the striatum. Journal of Physiology, 591 (1): 257-272.

Manko M., Bienvenu C.M., Dalezios Y. & Capogna M. (2012) Neurogliaform cells of amygdala: a source of slow phasic inhibition in the basolateral complex. *Journal of Physiology*, 590 (22): 5611-5627.

Bienvenu C.M., Busti D., Magill P.J., Ferraguti F., and Capogna M. (2012) Cell type-specific recruitment of amygdala interneurons to hippocampal theta rhythm and noxious stimuli *in vivo*. *Neuron*, 74 (6): 1059-1074, 2012. Paper selected and recommended for F1000. <http://f1000.com/prime/717950860>. *

Capogna, M. (2012) Chemokines and HIV-1 virus: opposing players in Cajal–Retzius cell function. *Journal of Physiology*, 590 (13): 2949-2950.

Wiera G., Wójtowicz T., Lebida K., Piotrowska A., Drulis-Fajdasz D., Gomułkiewicz A., Gendosz D., Podhorska-Okołów M., Capogna M., Wilczyński G., Dzięgiel P., Kaczmarek L., and Mozrzymas J.W. (2012) Long term potentiation in the mossy fiber – CA3 pathway is associated with increased intracellular gelatinase expression and activity in the postsynaptic neurons. *Molecular and Cellular Neuroscience*, 50 (2): 147-159.

Geracitano R., Fischer D., Kasugai Y., Ferraguti F, and Capogna M. (2012) Functional expression of the GABA_A receptor alpha2 and alpha3 subunits at synapses between intercalated medial paracapsular neurons of mouse amygdala. *Frontiers in Neural Circuits*, 6, article 32, 1-6.

Ellender T.J., Huerta-Ocampo I., Deisseroth K., Capogna M., and Bolam P. (2011) Differential modulation of excitatory and inhibitory striatal synaptic transmission by histamine. *Journal of Neuroscience*, 31 (43): 15340-15351. Commentary published: This week in the journal, *Journal of Neuroscience*, 31 (43).

Manko M., Geracitano R., and Capogna M. (2011) Functional connectivity of the main intercalated nucleus of the mouse amygdala. *Journal of Physiology*, 589 (8): 1911-1925. Commentary published: Kaspar E. Vogt (2011) Dousing the flames of fear, *Journal of Physiology*, 589 (8): 1865.

Busti D., Geracitano R., Whittle N., Dalezios Y., Manko M., Kaufmann W., Saetzler K., Singewald N., Capogna M., and Ferraguti F. (2011) Different fear states engage distinct networks within the intercalated cell clusters of the amygdala. *Journal of Neuroscience*, 31 (13): 5131-5144. Commentary published: This week in the journal, *Journal of Neuroscience*, 31 (13). Paper selected and recommended for F1000. <http://f1000.com/prime/9495957#citeEvaluationContent-11316054>

Capogna M. (2011) Neurogliaform cells and other interneurons of stratum lacunosum moleculare gate entorhinal-hippocampal dialogue. *Journal of Physiology*, 589 (8): 1875-1883.

Lalic T., Buckley C., Vincent A., and Capogna M. (2011) Human limbic encephalitis serum enhances mossy fibre-CA3 pyramidal cell neurotransmission. *Epilepsia*, 52 (1): 121-131.

Capogna M. and Pearce R.A. GABA_A, slow: causes and consequences (2011) *Trends in Neuroscience*, 34 (2): 101-112. *

Karayannis T., Elfant D., Huerta-Ocampo I., Teki S., Scott R., Rusakov D., Jones M.V., and Capogna M. (2010) Slow GABA transient and receptor desensitization shape synaptic responses evoked by hippocampal neurogliaform cells. *Journal of Neuroscience*, 30(29): 9898-9909. *

Fuentealba P., Klausberger T., Karayannis T., Suen W. Y., Huck J., Tomioka R., Rockland K., Capogna M., Studer M., Morales M., and Somogyi P. (2010) Expression of COUP-TFII Nuclear

Receptor in restricted GABAergic neuronal populations in the adult rat hippocampus. *Journal of Neuroscience*, 30 (5): 1595-1609.

Scott R., Lalic T., Kullmann D.M., Capogna M., and Rusakov D.A. (2008) Target-cell specificity of kainate autoreceptor and Ca²⁺ -store dependent short-term plasticity at hippocampal mossy fiber synapses. *Journal of Neuroscience*, 28 (49): 13139-13149. Commentary published: Dargan, S.L. & Amici, M. (2009) Role of Kainate Autoreceptors in Short-Term Plasticity at Hippocampal Mossy Fiber Synapses, *Journal of Neuroscience* 29, 5713-5715. Paper selected and recommended for F1000. <http://f1000.com/prime/1142014>

Price C.J., Scott R., Rusakov D., and Capogna M. (2008) GABAB receptor modulation of feedforward inhibition through hippocampal neurogliaform cells. *Journal of Neuroscience*, 28 (27): 6974-6982. Featured in Editors' Choice, *Science*, 321: 318, 2008.

Capogna, M. (2008) Understanding the emotional brain. *eStrategies Projects* 5, 64-65.

Fuentealba P., Begum R., Capogna M., Jinno S., Marton L.F., Csicsvari J., Thomson A., Somogyi P., and Klausberger T. (2008) Ivy cells: a population of nitric oxide-producing, slow-spiking GABAergic neurons and their involvement in hippocampal network activity. *Neuron*, 57: 917-929.

Elfant D., Pál B.Z., Emptage N., and Capogna M. (2008) Specific inhibitory synapses shift the balance from feedforward to feedback inhibition of hippocampal CA1 pyramidal cells. *European Journal of Neuroscience*, 27: 104-113.

Geracitano R., Kaufmann W.A., Szabo G., Ferraguti F., and Capogna M. (2007) Synaptic heterogeneity between intercalated paracapsular neurons of the amygdala. *Journal of Physiology*, 585 (1): 117-134.

Jeans A.F., Oliver P.L., Johnson R., Capogna M., Vikman J., Molnar Z., Partridge C.J., Salehi A.S., Eliasson L., Rorsman P., and Davies K.E. (2007) A dominant mutation in Snap25 causes impaired vesicle trafficking, sensorimotor gating and ataxia in the blind-drunk mouse. *Proceedings of the National Academy of Science USA*, 104 (7): 2431-2436.

Kerr A.M. and Capogna M. (2007) Unitary IPSPs enhance hilar mossy cell gain in the rat hippocampus. *Journal of Physiology*, 578 (2): 451-470.

Karayannis T., Huerta-Ocampo I., and Capogna M. (2007) GABAergic and pyramidal neurons of deep cortical layers directly receive and differently integrate callosal input. *Cerebral Cortex*, 17 (5): 1213-1226.

Price C.J., Cauli B., Kovacs E., Lambolez B., Shigemoto R., and Capogna M. (2005) Neurogliaform neurons form a novel inhibitory network in the hippocampal CA1 area. *Journal of Neuroscience*, 25 (29): 6775-6786. *

Price C.J., Karayannis T., Pál B., and Capogna M. (2005) Group II and III mGluRs-mediated presynaptic inhibition of EPSCs recorded from hippocampal interneurons of CA1 stratum lacunosum moleculare. *Neuropharmacology*, 49: 45-56.

Cope D.W., Halbsguth C., Karayannis T., Wulff P., Ferraguti F., Hoeger H., Leppä A., Linden A.-M., Oberto A., Ogris W., Korpi E.R., Sieghart W., Somogyi P., Wisden W., and Capogna M. (2005) Selective reduction in efficacy of zolpidem in the hippocampus of GABA_A receptor gamma2 subunit point mutant mice. *European Journal of Neuroscience*, 21 (11): 3002-3016.

Thomas A.M., Corona-Morales A.A., Ferraguti F., and Capogna M. (2005) Sprouting of mossy fibers and presynaptic inhibition by group II mGluRs in pilocarpine-treated rat hippocampal slice cultures. *Neuroscience*, 131: 303-320.

Kogo N., Dalezios Y., Capogna M., Ferraguti F., and Somogyi P. (2004) Depression of GABAergic input to identified hippocampal neurons by presynaptic group III metabotropic glutamate receptors. *European Journal of Neuroscience*, 19 (10): 2727-2740.

Cope D.W., Wulff P., Oberto A., Aller M.I., Capogna M., Ferraguti F., Halbsguth C., Hoeger H., Jolin H.E., Jones A., Mckenzie A.N.J., Ogris W., Poeltl A., Sinkkonen S.T., Vekovischeva O.Y., Korpi E.R., Sieghart W., Sigel E., Somogyi P., and Wisden W. (2004) Abolition of zolpidem sensitivity in mice with a point mutation in the GABAA receptor gamma2 subunit. *Neuropharmacology*, 47 (1): 17-34.

Capogna M. (2004) Distinct properties of presynaptic group II and III metabotropic glutamate receptor-mediated inhibition of perforant pathway-CA1 EPSCs. *European Journal of Neuroscience*, 19: 2847-2858.

Volynski K. E., Capogna M., Ashton A. C., Thomson D., Orlova E. V., Manser C., Ribchester R. R., and Ushkaryov Y. A. (2003). Mutant α -latrotoxin (LTXN4C) does not form pores and causes secretion by receptor stimulation. This action does not require neurexins. *Journal of Biological Chemistry*, 278 (33): 31058-31066.

Capogna M., Volynski K. E., Emptage N. J., and Ushkaryov, Y.A. (2003). The α -latrotoxin mutant LTXN4C enhances spontaneous and evoked transmitter release in CA3 pyramidal neurons. *Journal of Neuroscience*, 23 (10): 4044-4053.

Brager D.H., Capogna M., and Thompson, S.M. (2002). Short-term synaptic plasticity, simulation of nerve terminal dynamics, and the effects of protein kinase C activation in rat hippocampus. *Journal of Physiology*, 541 (2): 545-559.

Ahluwalia J., Urban L., Bevan S., Capogna M., and Nagy I. (2002). Cannabinoid 1 receptors are expressed by nerve growth factor- and glial-derived neurotrophic factor-responsive primary sensory neurones. *Neuroscience*, 110 (4): 747-753.

Patel S., Naeem S., Kelsingland A., Froestl W., Capogna M., Urban L., and Fox A. (2001). Anti-hyperalgesic activity of GABAB agonists and gabapentin in models of neuropathic and inflammatory pain in the rat. *Pain*, 90 (3): 217-226.

Ahluwalia J., Urban L., Capogna M., and Nagy I. (2000). Cannabinoid 1 receptors are expressed in nociceptive primary sensory neurons. *Neuroscience*, 100 (4): 685-688.

Capogna M., Fankhauser, C., Gagliardini V., Gähwiler B.H., and Thompson S.M. (1999). Excitatory synaptic transmission and its modulation by PKC is unchanged in the hippocampus of GAP-43-deficient mice. *European Journal of Neuroscience*, 11: 433-440.

McKinney R. A., Capogna M., Durr R., Gähwiler B.H., and Thompson S.M. (1999). Miniature synaptic events maintain dendritic spines via AMPA receptor activation. *Nature Neuroscience*, 2 (1): 44-49.*

Capogna M. (1998). Presynaptic facilitation of synaptic transmission in the hippocampus. *Pharmacology and Therapeutics*, 77 (3): 203-223.

Capogna M., McKinney R. A., O' Connor V., Gähwiler B.H., and Thompson S.M. (1997). Ca²⁺ or Sr²⁺ partially rescues synaptic transmission in hippocampal cultures treated with botulinum toxin A and C, but not tetanus toxin, *Journal of Neuroscience*, 17: 7190-7202. *

Gähwiler B.H., Capogna M., Debanne, D., McKinney R. A., and Thompson S.M. (1997). Organotypic slice cultures: a technique has come of age. *Trends in Neuroscience*, 20 (10): 471-477.

Thompson S.M., Poncer J.C., Capogna M., and Gähwiler B.H. (1997). Properties of spontaneous miniature GABA_A receptor-mediated synaptic currents in area CA3 of rat hippocampal slice cultures, *Canadian Journal of Physiology and Pharmacology*, 75: 495-499.

Capogna M., Gähwiler B.H., and Thompson S.M. (1996). Calcium-independent actions of α -latrotoxin on spontaneous and evoked synaptic transmission in the hippocampus. *Journal of Neurophysiology*, 76 (5): 3149-3158.

Bossu J.L., Capogna M., Debanne D., McKinney R.A., and Gähwiler, B.H. (1996). Somatic voltage-gated potassium conductance of rat hippocampal pyramidal cells in organotypic slice cultures. *Journal of Physiology*, 495 (2): 367-381.

Capogna M., Gähwiler B.H., and Thompson S.M. (1996). Presynaptic inhibition of calcium-dependent and -independent release elicited with ionomycin, gadolinium, and α -latrotoxin in the hippocampus. *Journal of Neurophysiology*, 75 (5): 2017-2028.

Capogna M., Gähwiler B.H., and Thompson S.M. (1995). Presynaptic enhancement of inhibitory synaptic transmission by protein kinases A and C in the rat hippocampus in vitro. *Journal of Neuroscience*, 15: 1249-1260. *

Capogna M., Berretta N., Berton F., Bianchi R., Francesconi W., and Brunelli M. (1994). β -carboline derivative DMCM decreases γ -aminobutyric acid responses and Ca²⁺-mediated K⁺ conductance in rat neocortical neurons in vitro. *Neuropharmacology*, 33: 875-883.

Thompson S.M., Capogna M., and M. Scanziani (1993). Reply: Presynaptic inhibition in the hippocampus. *Trends in Neuroscience*, 16: 396-397.

Thompson S.M., Capogna M., and M. Scanziani (1993). Presynaptic inhibition in the hippocampus. *Trends in Neuroscience*, 16: 222-227.

Capogna M., Gähwiler B.H., and Thompson S.M. (1993). Mechanism of μ -opioid receptor-mediated presynaptic inhibition in the rat hippocampus in vitro. *Journal of Physiology*, 470: 539-558.

Zeise M.L., Kasparov S., Capogna M., and Zieglgänsberger W. (1993). Acamprostate (calciumdiacetylhomotaurinate) decreases postsynaptic potentials in the rat neocortex: possible involvement of excitatory amino acid receptors. *European Journal of Pharmacology*, 231: 47-52.

Scanziani M., Capogna M., Gähwiler B.H., and Thompson S.M. (1992). Presynaptic inhibition of miniature excitatory synaptic currents by baclofen and adenosine in the hippocampus. *Neuron*, 9: 919-927.

Thompson S.M., Scanziani M., Capogna M., and Gähwiler B.H. (1992). Mechanisms of presynaptic GABAB receptor action in the hippocampus. *Pharmacology Communications*, 2: 41-46.

Berretta N., Berton F., Bianchi R., Brunelli M., Capogna M., and Francesconi W. (1991) Long-term potentiation (LTP) of NMDA receptor-mediated EPSP in guinea pig hippocampal slices. *European Journal of Neuroscience*, 3: 850-854.

Berretta N., Berton F., Bianchi R., Capogna M., Francesconi W., and Brunelli M. (1990). Effects of dopamine, D1 and D2 dopaminergic agonists on the excitability of hippocampal CA1 pyramidal cells in guinea pig. *Experimental Brain Research*, 83: 124-130.

De Gennaro L., Capogna M., and Violani C. (1984). La direzione dei movimenti oculari rapidi come indice di asimmetrie emisferiche durante il sonno REM. *Bollettino della Società italiana di biologia sperimentale*, 8: 1587-1591.

Violani C., De Gennaro L., Costa M., Renzi P., and Capogna M. (1984). Asimmetrie Emisferiche nell'attività elettrica corticale durante il sonno. *Bollettino della Società italiana di biologia sperimentale*, 8: 1581-1586.

Violani C., De Gennaro L., and Capogna M. (1984). EEG and EOG indices of hemispheric asymmetries during sleep. *Research in Communications in Psychology, Psychiatry and Behavior*, 9: 95-107.

Book chapters

Thompson S.M., Debanne D., and Capogna M. (1998). Presynaptic determinants of synaptic efficacy in hippocampal pyramidal neurons. In: Faber D. S., Korn H., Redman, S., Thompson S. M. and Altman J. S. (eds.), *Human Frontier Science Program IV Workshop: Central Synapses: Quantal mechanisms and plasticity*, Strasbourg, France, pp. 247-254.

Thompson S.M., Capogna M., and M. Scanziani (1998). Presynaptic inhibition and facilitation of transmitter release in the hippocampus. In: Rudomin P., Romo R. and Mendell L. M. (eds.), *Presynaptic inhibition and neural control*: 95-110, Oxford University Press Inc., New York, USA.

Zeise M.L., Kasparow W., Capogna M., and Zieglgänsberger W. (1990). Calciumdiacetylhomotaurinate (Ca-AOTA) decreases the action of excitatory amino acids in the rat neocortex in vitro. In: Pasantes-Morales H., Shain W., Martin D.L. and R.M. Del Rio (eds.) *Taurine: Functional Neurochemistry, Physiology, and Cardiology, Progress in Clinical and Biological Research*, New York etc.: Wiley-Liss Inc., Vol. 351: 237-242.